




48" DIAMETER MANHOLE



60" DIAMETER MANHOLE




72" DIAMETER MANHOLE



84" DIAMETER MANHOLE

ROUND MANHOLE COVER SLAB DETAILS



SECTION A-A
(ADDITIONAL REINFORCEMENT NOT SHOWN)

NOTES:

- 1). PRECAST COVER SLABS.
- 2). USE #5 BARS SPACED AT 6" UNLESS NOTED OTHERWISE.
- 3). PROVIDE A MINIMUM BAR COVER OF 1 1/2".
- 4). COVER SLAB DESIGN SPECIFICATIONS SHALL MEET HL-93 LOADING AND CONFORM TO AASHTO M-199, LATEST REVISIONS.

* DIMENSIONS TO MATCH OUTSIDE TO OUTSIDE DIMENSIONS OF MANHOLE. SEE SHEET 3 OF 5 FOR MINIMUM WALL THICKNESS.



ENGINEERING SUPPORT *Paul Johnson* 09/01/2020
RECOMMENDED

ROUND MANHOLE COVER SLAB
STANDARD NO. D-6 (2020) SHT. 5 OF 5

REVIEWED *Mike Jones* 09/01/2020
DEPUTY DIRECTOR - DESIGN
APPROVED *Shrey* 09/01/2020
CHIEF ENGINEER